

spatial graph とその invariant について

森内 博正

大阪市立大学大学院 理学研究科 数物系専攻
d04sa006@ex.media.osaka-cu.ac.jp

2005年1月18日

Abstract

spatial graph, 特に trivalent vertex を持つ θ -curve や handcuff graph を分類する上では, その invariant が重要となります. invariant をいくつか紹介した後, 7 交点までの θ -curve の分類と 6 交点までの handcuff graph の分類を行いません.

1. Yamada polynomial

In 1989, S. Yamada [19] introduced a polynomial invariant for spatial graph diagrams. Let g be a spatial graph diagram. Then the Yamada polynomial $R(g) \in \mathbf{Z}[x^{\pm 1}]$ is defined by the following recursive formulas:

- (1) $R(\emptyset) = 1$, where \emptyset denotes the empty graph,
- (2) $R(\begin{array}{c} \diagup \\ \diagdown \end{array}) = xR(\begin{array}{c} \diagup \\ \diagdown \end{array}) + x^{-1}R(\begin{array}{c} \diagdown \\ \diagup \end{array}) + R(\begin{array}{c} \diagup \\ \diagdown \end{array})$,
- (3) $R(\begin{array}{c} \xrightarrow{e} \\ \xleftarrow{e} \end{array}) = R(\begin{array}{c} \xrightarrow{e} \\ \xleftarrow{e} \end{array}) + R(\begin{array}{c} \xrightarrow{e} \\ \xleftarrow{e} \end{array})$, where e is a nonloop edge,
- (4) $R(g_1 \sqcup g_2) = R(g_1)R(g_2)$, where $g_1 \sqcup g_2$ denotes the disjoint union of spatial graph diagrams g_1 and g_2 ,
- (5) $R(B_n) = -(-x - 1 - x^{-1})^n$, where B_n is the n -leafed bouquet. In particular, $R(\bullet) = R(B_0) = -1$, $R(\bigcirc) = R(B_1) = x + 1 + x^{-1}$.

For a θ -curve diagram θ , we easily calculate $R(\theta)$ by using the following properties:

- (1) $R(\bigcirc) = -(x + 1 + x^{-1})(x + x^{-1}) = -x^2 - x - 2 - x^{-1} - x^{-2}$,
- (2) $R(\bigcirc \rightarrow \bigcirc) = 0$,
- (3) $R(\theta' \sqcup \bigcirc) = (x + 1 + x^{-1})R(\theta')$ for an arbitrary θ -curve θ' ,
- (4) $R(\begin{array}{c} \diagup \\ \diagdown \end{array}) - R(\begin{array}{c} \diagdown \\ \diagup \end{array}) = (x - x^{-1})\left(R(\begin{array}{c} \diagup \\ \diagdown \end{array}) - R(\begin{array}{c} \diagdown \\ \diagup \end{array})\right)$,
- (5) $R(\begin{array}{c} \diagup \\ \diagdown \end{array}) = x^2R(\begin{array}{c} \diagdown \\ \diagup \end{array})$, $R(\begin{array}{c} \diagdown \\ \diagup \end{array}) = x^{-2}R(\begin{array}{c} \diagup \\ \diagdown \end{array})$,
- (6) $R(\begin{array}{c} \diagup \\ \diagdown \end{array}) = R(\begin{array}{c} \diagdown \\ \diagup \end{array})$,

$$\begin{aligned}
(7) \quad & R\left(\begin{array}{c} \diagup \\ \diagdown \\ \diagdown \\ \diagup \end{array}\right) = R\left(\begin{array}{c} \diagdown \\ \diagup \\ \diagup \\ \diagdown \end{array}\right), \\
(8) \quad & R\left(\begin{array}{c} \diagup \\ \diagdown \\ \diagup \\ \diagdown \end{array}\right) = R\left(\begin{array}{c} \diagdown \\ \diagup \\ \diagdown \\ \diagup \end{array}\right), \quad R\left(\begin{array}{c} \diagup \\ \diagdown \\ \diagdown \\ \diagdown \end{array}\right) = R\left(\begin{array}{c} \diagdown \\ \diagup \\ \diagup \\ \diagup \end{array}\right), \\
(9) \quad & R\left(\begin{array}{c} \diagup \\ \diagdown \\ \diagdown \\ \diagdown \end{array}\right) = -xR\left(\begin{array}{c} \diagdown \\ \diagup \\ \diagdown \\ \diagdown \end{array}\right), \quad R\left(\begin{array}{c} \diagdown \\ \diagup \\ \diagdown \\ \diagdown \end{array}\right) = -x^{-1}R\left(\begin{array}{c} \diagdown \\ \diagup \\ \diagdown \\ \diagdown \end{array}\right).
\end{aligned}$$

2. Prime basic 4-regular disk graphs

In 2001, H. Yamano [21] classified tangles of seven crossings or less in his master's thesis, where he used the concept of *prime basic 4-regular disk graphs*.

He obtained the following lemma.

Lemma 2.1. There exist six prime basic 4-regular disk graphs with up to seven vertices as in Fig. 1.




Fig. 1.

(a) P_1 (b) P_5 (c) P_6
(d) P_{7-1} (e) P_{7-2} (f) P_{7-3}

3. Prime basic θ -polyhedra

From this section, we construct prime basic θ -polyhedra. A θ -polyhedron is a connected planar graph embedded in 2-sphere, whose two vertices are 3-valent, and the others are 4-valent. We can obtain a θ -curve diagram from a θ -polyhedron by substituting algebraic tangles for their 4-valent vertices.

A θ -polyhedron P_Θ is said to be *basic* if it contains no loop and no bigon.

Theorem 3.2. There exist seven type- \times prime basic θ -polyhedra with up to seven 4-valent vertices as in Fig. 2.




Fig. 2.

- (a) $1^1_x a$ (b) $5^1_x a.b.c.d.e$ (c) $6^1_x a.b.c.d.e.f$ (d) $7^1_x a.b.c.d.e.f.g$
(e) $7^2_x a.b.c.d.e.f.g$ (f) $7^3_x a.b.c.d.e.f.g$ (g) $7^4_x a.b.c.d.e.f.g$

Theorem 3.3. There exist seventeen type-* prime basic θ -polyhedra with up to seven 4-valent vertices as in Fig. 3.




Fig. 3.

- | | | | |
|---------------------------|---------------------------|------------------------------|---------------------------|
| (a) $3_2^1 a.b.c$ | (b) $4_2^1 a.b.c.d$ | (c) $5_2^1 a.b.c.d.e$ | (d) $6_2^1 a.b.c.d.e.f$ |
| (e) $6_2^2 a.b.c.d.e.f$ | (f) $6_2^3 a.b.c.d.e.f$ | (g) $6_2^4 a.b.c.d.e.f$ | |
| (h) $7_2^1 a.b.c.d.e.f.g$ | (i) $7_2^2 a.b.c.d.e.f.g$ | (j) $7_2^3 a.b.c.d.e.f.g$ | (k) $7_2^4 a.b.c.d.e.f.g$ |
| (l) $7_2^5 a.b.c.d.e.f.g$ | (m) $7_2^6 a.b.c.d.e.f.g$ | (n) $7_2^7 a.b.c.d.e.f.g$ | |
| (o) $7_2^8 a.b.c.d.e.f.g$ | (p) $7_2^9 a.b.c.d.e.f.g$ | (q) $7_2^{10} a.b.c.d.e.f.g$ | |

4. Enumeration of θ -curve

We give an enumeration of θ -curve with up to seven crossings by using our notation. Knots in the second column correspond to Rolfsen's knot table [14], and θ -curves in the last column correspond to Litherland's table [11] (see Fig. 4-7). \overline{K} and $\overline{\Theta}$ denote mirror images of K and Θ , respectively.




Fig. 4. Prime θ -curves with up to six crossings.




Fig. 5. Prime θ -curves with seven crossings.




Fig. 6. Prime θ -curves with seven crossings (continued).




Fig. 7. Prime θ -curves with seven crossings (continued).

notation	constituent knot	θ -curve
$1^1_{\times} 3$	$3_1, 0, 0$	$\overline{3_1}$
$1^1_{\times} 2 2$	$4_1, 0, 0$	4_1
$1^1_{\times} 5$	$5_1, 0, 0$	5_3
$1^1_{\times} 3 2$	$5_2, 0, 0$	$\overline{5_6}$
$1^1_{\times} 2 3$	$\overline{5_2}, 0, 0$	$\overline{5_5}$
$1^1_{\times} 3, 2$	$\overline{5_1}, \overline{3_1}, 0$	$\overline{5_4}$
$1^1_{\times} 2 1, 2$	$5_2, 3_1, 0$	5_7
$3^1_* 2.2. - 1$	$\overline{3_1}, 0, 0$	5_2
$4^1_* 2.1.1.1$	$\overline{3_1}, 0, 0$	5_2
$4^1_* 2 0.1.1.1$	$0, 0, 0$	5_1
$1^1_{\times} 4 2$	$6_1, 0, 0$	$\overline{6_5}$
$1^1_{\times} 2 4$	$\overline{6_1}, 0, 0$	$\overline{6_6}$
$1^1_{\times} 3 1 2$	$6_2, 0, 0$	6_9
$1^1_{\times} 2 1 3$	$6_2, 0, 0$	$\overline{6_{10}}$
$1^1_{\times} 2 1 1 2$	$6_3, 0, 0$	$\overline{6_{14}}$
$1^1_{\times} 2 2, 2$	$\overline{6_1}, 4_1, 0$	$\overline{6_8}$
$1^1_{\times} 2 1 1, 2$	$\overline{6_2}, 4_1, 0$	$\overline{6_{13}}$
$1^1_{\times} 3, 2 1$	$\overline{6_1}, 0, 0$	$\overline{6_7}$
$1^1_{\times} 3, 2+$	$\overline{6_2}, \overline{3_1}, 0$	$\overline{6_{12}}$
$1^1_{\times} 2 1, 2+$	$6_3, 3_1, 0$	$\overline{6_{16}}$
$3^1_* 3.2. - 1$	$4_1, 3_1, 0$	6_4
$3^1_* 2.2.2$	$0, 0, 0$	5_1
$3^1_* 2.2. - 2$	$0, 0, 0$	6_1
$4^1_* 2 1.1.1.1$	$0, 0, 0$	6_1
$4^1_* 2 1 0.1.1.1$	$\overline{3_1}, 0, 0$	$\overline{6_2}$
$4^1_* - 2 - 1 0.1.1.1$	$4_1, \overline{3_1}, 0$	$\overline{6_4}$
$4^1_* 2.2 0.1.1$	$4_1, \overline{3_1}, 0$	$\overline{6_4}$
$4^1_* 2.1.1.2 0$	$4_1, \overline{3_1}, 0$	$\overline{6_3}$
$4^1_* 2.1.1. - 2 0$	$4_1, 3_1, 0$	6_4
$4^1_* 2 0.2 0.1.1$	$\overline{3_1}, 0, 0$	$\overline{6_2}$
$4^1_* - 2 0.2 0.1.1$	$0, 0, 0$	$\overline{6_1}$
$5^1_{\times} 2.1.1.1.1$	$6_3, 0, 0$	$\overline{6_{15}}$
$5^1_{\times} 2 0.1.1.1.1$	$\overline{6_2}, 0, 0$	$\overline{6_{11}}$
$5^1_* 2 0.1.1.1.1$	$0, 0, 0$	$\overline{6_1}$
$5^1_* 1.1.1.1.2 0$	$\overline{5_2}, \overline{3_1}, 0$	$\overline{5_7}$
$6^2_* 1.1.1.1.1.1$	$0, 0, 0$	$\overline{6_1}$
$6^4_* 1.1.1.1.1.1$	$0, 0, 0$	$\overline{5_1}$

notation	constituent knot	θ -curve
$1_{\times}^1 7$	$7_1, 0, 0$	7_{25}
$1_{\times}^1 5 2$	$7_2, 0, 0$	7_{29}
$1_{\times}^1 4 3$	$7_3, 0, 0$	7_{33}
$1_{\times}^1 3 4$	$7_3, 0, 0$	7_{34}
$1_{\times}^1 2 5$	$7_2, 0, 0$	7_{28}
$1_{\times}^1 3 2 2$	$7_5, 0, 0$	7_{43}
$1_{\times}^1 3 1 3$	$7_4, 0, 0$	7_{38}
$1_{\times}^1 2 2 3$	$7_5, 0, 0$	7_{44}
$1_{\times}^1 2 2 1 2$	$7_6, 0, 0$	7_{53}
$1_{\times}^1 2 1 2 2$	$7_6, 0, 0$	7_{50}
$1_{\times}^1 2 1 1 1 2$	$7_7, 0, 0$	7_{59}
$1_{\times}^1 5, 2$	$7_1, 5_1, 0$	7_{27}
$1_{\times}^1 4 1, 2$	$7_3, 5_1, 0$	7_{36}
$1_{\times}^1 3 2, 2$	$7_3, 5_2, 0$	7_{37}
$1_{\times}^1 2 3, 2$	$7_2, 5_2, 0$	7_{32}
$1_{\times}^1 3 1 1, 2$	$7_4, 5_2, 0$	7_{42}
$1_{\times}^1 2 2 1, 2$	$7_5, 5_2, 0$	7_{49}
$1_{\times}^1 (3, 2), 2$	$7_5, 5_1, 0$	7_{48}
$1_{\times}^1 (3, 2), -2$	$5_1, 5_2, 0$	7_{18}
$1_{\times}^1 (3, -2), 2$	$6_2, 0, 0$	6_{11}
$1_{\times}^1 (3, -2), -2$	$6_3, 0, 0$	6_{15}
$1_{\times}^1 (2 1, 2), 2$	$7_6, 5_2, 0$	7_{58}
$1_{\times}^1 (2 1, 2), -2$	$5_1, 5_2, 0$	7_{18}
$1_{\times}^1 (2 1, -2), 2$	$6_3, 0, 0$	6_{15}
$1_{\times}^1 (2 1, -2), -2$	$6_2, 0, 0$	6_{11}
$1_{\times}^1 4, 3$	$7_1, 3_1, 0$	7_{26}
$1_{\times}^1 3 1, 3$	$7_3, 3_1, 0$	7_{35}
$1_{\times}^1 2 2, 3$	$7_2, 0, 0$	7_{30}
$1_{\times}^1 4, 2 1$	$7_2, 3_1, 0$	7_{31}
$1_{\times}^1 3 1, 2 1$	$7_5, 3_1, 0$	7_{45}
$1_{\times}^1 2 1 1, 2 1$	$7_6, 0, 0$	7_{54}
$1_{\times}^1 2 2, 2+$	$7_6, 4_1, 0$	7_{57}
$1_{\times}^1 2 2, -2-$	$6_2, 4_1, 0$	6_{13}
$1_{\times}^1 2 1 1, 2+$	$7_7, 4_1, 0$	7_{65}
$1_{\times}^1 2 1 1, -2-$	$6_1, 4_1, 0$	6_8
$1_{\times}^1 3, 3+$	$7_4, 0, 0$	7_{39}
$1_{\times}^1 3, -3-$	$6_1, 0, 0$	6_7

notation	constituent knot	θ -curve
$1^1_{\times} 2 1, 2 1+$	$\overline{7}_7, 0, 0$	$\overline{7}_{62}$
$1^1_{\times} 2 1, 2 1-$	$\overline{3}_1, 0, 0$	$\overline{5}_2$
$1^1_{\times} 2 1, -2 - 1+$	$\overline{6}_1, 0, 0$	$\overline{6}_7$
$1^1_{\times} 2 1, -2 - 1-$	$\overline{6}_1, 0, 0$	$\overline{6}_7$
$1^1_{\times} 3, 2 + +$	$\overline{7}_5, \overline{3}_1, 0$	$\overline{7}_{46}$
$1^1_{\times} 3, -2 - -$	$\overline{6}_3, \overline{3}_1, 0$	$\overline{6}_{16}$
$1^1_{\times} 2 1, 2 + +$	$\overline{7}_6, \overline{3}_1, 0$	$\overline{7}_{56}$
$1^1_{\times} 2 1, -2 - -$	$\overline{6}_2, \overline{3}_1, 0$	$\overline{6}_{12}$
$3^1_{*} (3, 2).1. - 1$	$\overline{6}_2, 0, 0$	$\overline{6}_{11}$
$3^1_{*} (3, -2).1. - 1$	$\overline{5}_1, \overline{5}_2, 0$	$\overline{7}_{18}$
$3^1_{*} (2 1, 2).1. - 1$	$\overline{6}_3, 0, 0$	$\overline{6}_{15}$
$3^1_{*} (2 1, -2).1. - 1$	$\overline{5}_1, \overline{5}_2, 0$	$\overline{7}_{18}$
$3^1_{*} 4.2. - 1$	$\overline{5}_2, 0, 0$	$\overline{7}_{20}$
$3^1_{*} 3 1.2. - 1$	$\overline{5}_1, 0, 0$	$\overline{7}_{15}$
$3^1_{*} 2 1 1.2. - 1$	$\overline{5}_2, \overline{3}_1, 0$	$\overline{7}_{22}$
$3^1_{*} 2 1 1 0. - 2.1$	$\overline{6}_2, \overline{3}_1, 0$	$\overline{6}_{12}$
$3^1_{*} 3.2 1. - 1$	$\overline{5}_2, 4_1, 0$	$\overline{7}_{24}$
$3^1_{*} 2 1.2 1. - 1$	$\overline{5}_1, 0, 0$	$\overline{7}_{17}$
$3^1_{*} 3.2.2$	$\overline{3}_1, 0, 0$	$\overline{6}_2$
$3^1_{*} 3.2. - 2$	$4_1, 0, 0$	$\overline{7}_{13}$
$3^1_{*} 3. - 2.2$	$4_1, 0, 0$	$\overline{7}_{13}$
$3^1_{*} 3. - 2. - 2$	$3_1, 0, 0$	$\overline{7}_6$
$3^1_{*} 3 0. - 2.2$	$4_1, \overline{3}_1, 0$	$\overline{6}_4$
$3^1_{*} 3 0. - 2. - 2$	$3_1, \overline{3}_1, 0$	$\overline{7}_8$
$3^1_{*} 2 1. - 2 0.2 0$	$\overline{3}_1, 0, 0$	$\overline{6}_2$
$3^1_{*} 2 1. - 2 0. - 2 0$	$\overline{3}_1, 0, 0$	$\overline{7}_7$
$4^1_{*} 4.1.1.1$	$3_1, \overline{3}_1, 0$	$\overline{7}_8$
$4^1_{*} 4 0.1.1.1$	$\overline{3}_1, 0, 0$	$\overline{7}_5$
$4^1_{*} - 4 0.1.1.1$	$\overline{5}_1, 0, 0$	$\overline{7}_{15}$
$4^1_{*} 3 1.1.1.1$	$\overline{3}_1, 0, 0$	$\overline{7}_6$
$4^1_{*} 3 1 0.1.1.1$	$0, 0, 0$	$\overline{7}_1$
$4^1_{*} - 3 - 1 0.1.1.1$	$\overline{5}_2, 0, 0$	$\overline{7}_{20}$
$4^1_{*} 2 2.1.1.1$	$\overline{3}_1, 0, 0$	$\overline{7}_7$
$4^1_{*} 2 2 0.1.1.1$	$3_1, \overline{3}_1, 0$	$\overline{7}_{10}$
$4^1_{*} - 2 - 2 0.1.1.1$	$\overline{5}_2, \overline{3}_1, 0$	$\overline{7}_{23}$
$4^1_{*} 2 1.2 0.1.1$	$4_1, 0, 0$	$\overline{7}_{13}$
$4^1_{*} 2 1 0.2 0.1.1$	$4_1, 4_1, 0$	$\overline{7}_{14}$
$4^1_{*} - 2 - 1 0.2 0.1.1$	$4_1, 0, 0$	$\overline{7}_{13}$

notation	constituent knot	θ -curve
$4_*^1 3.1.1.2$	$5_1, 0, 0$	$\overline{7}_{16}$
$4_*^1 3 0.1.1.2$	$5_2, 4_1, 0$	$\overline{7}_{23}$
$4_*^1 - 3 0.1.1.2$	$5_2, 4_1, 0$	$\overline{7}_{24}$
$4_*^1 2 1.1.1.2$	$5_2, 0, 0$	$\overline{7}_{21}$
$4_*^1 3.1.1.2 0$	$4_1, 0, 0$	$\overline{7}_{11}$
$4_*^1 3.1.1. - 2 0$	$5_2, 0, 0$	$\overline{7}_{20}$
$4_*^1 3 0.1.1.2 0$	$0, 0, 0$	$\overline{7}_2$
$4_*^1 3 0.1.1. - 2 0$	$5_1, 0, 0$	$\overline{7}_{15}$
$4_*^1 - 3 0.1.1.2 0$	$5_1, 0, 0$	$\overline{7}_{17}$
$4_*^1 2 1 0.1.1.2 0$	$4_1, 0, 0$	$\overline{7}_{12}$
$4_*^1 2 1 0.1.1. - 2 0$	$5_2, 3_1, 0$	$\overline{7}_{22}$
$4_*^1 - 2 - 1 0.1.1.2 0$	$5_2, 4_1, 0$	$\overline{7}_{24}$
$4_*^1 2.3.1.1$	$5_1, 0, 0$	$\overline{7}_{15}$
$4_*^1 2.3 0.1.1$	$5_2, 0, 0$	$\overline{7}_{20}$
$4_*^1 2.2 1.1.1$	$5_2, 3_1, 0$	$\overline{7}_{22}$
$4_*^1 2 0.3.1.1$	$3_1, 0, 0$	$\overline{7}_5$
$4_*^1 - 2 0.3.1.1$	$3_1, \overline{3}_1, 0$	$\overline{7}_8$
$4_*^1 2 0.3 0.1.1$	$0, 0, 0$	$\overline{7}_1$
$4_*^1 - 2 0.3 0.1.1$	$3_1, 0, 0$	$\overline{7}_6$
$4_*^1 2 0.2 1.1.1$	$3_1, \overline{3}_1, 0$	$\overline{7}_{10}$
$4_*^1 - 2 0.2 1.1.1$	$3_1, 0, 0$	$\overline{7}_7$
$4_*^1 2.2.2.1$	$5_2, 4_1, 0$	$\overline{7}_{24}$
$4_*^1 2.2.2 0.1$	$5_1, 0, 0$	$\overline{7}_{17}$
$4_*^1 - 2.2.2 0.1$	$5_1, 0, 0$	$\overline{7}_{17}$
$4_*^1 2.2.1.2$	$5_1, 5_2, 0$	$\overline{7}_{18}$
$4_*^1 2.2.1.2 0$	$5_2, 0, 0$	$\overline{7}_{19}$
$4_*^1 2.2.1. - 2 0$	$4_1, 0, 0$	$\overline{7}_{13}$
$4_*^1 2 0.2 0.2.1$	$4_1, 4_1, 0$	$\overline{7}_{14}$
$4_*^1 - 2 0.2 0.2.1$	$3_1, \overline{3}_1, 0$	$\overline{7}_9$

notation	constituent knot	θ -curve
$5^1_{\times} 2 1.1.1.1.1$	$\overline{7}_7, 0, 0$	$\overline{7}_{63}$
$5^1_{\times} -2 -1.1.1.1.1$	$\overline{6}_1, 4_1, 0$	$\overline{6}_8$
$5^1_{\times} 2 1 0.1.1.1.1$	$\overline{7}_6, 0, 0$	$\overline{7}_{51}$
$5^1_{\times} 2.1.1.2.1$	$7_7, 0, 0$	7_{60}
$5^1_{\times} 2.1.1. - 2.1$	$6_2, 0, 0$	6_{11}
$5^1_{\times} -2.1.1. - 2.1$	$5_1, 0, 0$	7_{16}
$5^1_{\times} 2.1.1.1.2$	$7_7, \overline{3}_1, 0$	7_{64}
$5^1_{\times} 2.1.1.1. - 2$	$6_2, 4_1, 0$	6_{13}
$5^1_{\times} 2.2 0.1.1.1$	$\overline{7}_6, 0, 0$	$\overline{7}_{52}$
$5^1_{\times} 2. - 2 0.1.1.1$	$\overline{5}_1, 0, 0$	$\overline{7}_{16}$
$5^1_{\times} -2.2 0.1.1.1$	$6_3, 0, 0$	$\overline{6}_{15}$
$5^1_{\times} -2. - 2 0.1.1.1$	$\overline{6}_2, 0, 0$	$\overline{6}_{11}$
$5^1_{\times} 2.1.2 0.1.1$	$7_6, \overline{3}_1, 0$	$\overline{7}_{55}$
$5^1_{\times} 2 0.1.2 0.1.1$	$\overline{7}_5, \overline{3}_1, 0$	7_{47}
$5^1_{\times} 2 0.1.1.2 0.1$	$\overline{7}_4, \overline{3}_1, 0$	$\overline{7}_{41}$
$5^1_{\times} 2 0.1.1.1.2 0$	$\overline{7}_4, \overline{3}_1, 0$	$\overline{7}_{40}$
$5^1_{*} -1. - 3.1.1.1$	$\overline{5}_1, \overline{5}_2, 0$	$\overline{7}_{18}$
$5^1_{*} 1.1.1.1. - 3$	$5_1, 5_2, 0$	7_{18}
$5^1_{*} 3 0.1.1.1.1$	$4_1, 0, 0$	7_{13}
$5^1_{*} -3 0.1.1.1.1$	$4_1, 0, 0$	$\overline{7}_{13}$
$5^1_{*} -1.3 0.1.1.1$	$6_1, 4_1, 0$	6_8
$5^1_{*} 1.1.1.1.3 0$	$\overline{6}_1, 4_1, 0$	$\overline{6}_8$
$5^1_{*} -1.2 1.1.1.1$	$6_3, 0, 0$	$\overline{6}_{15}$
$5^1_{*} 1.1.1.1. - 2 - 1$	$\overline{5}_1, \overline{5}_2, 0$	$\overline{7}_{18}$
$5^1_{*} -2. - 2.1.1.1$	$\overline{5}_1, 0, 0$	$\overline{7}_{16}$
$5^1_{*} -2. - 1. - 1. - 1.2$	$\overline{5}_1, 0, 0$	$\overline{7}_{16}$
$5^1_{*} -1. - 2.1.2.1$	$5_1, 0, 0$	7_{16}
$5^1_{*} -1. - 2.1.1.2$	$\overline{5}_1, \overline{5}_2, 0$	$\overline{7}_{18}$
$5^1_{*} -1. - 2. - 1. - 1.2$	$\overline{5}_1, \overline{5}_2, 0$	$\overline{7}_{18}$
$5^1_{*} -1. - 1. - 2. - 1.2$	$5_1, 0, 0$	7_{16}
$5^1_{*} -2.2 0.1.1.1$	$4_1, \overline{3}_1, 0$	6_3
$5^1_{*} 2.1.1.1.2 0$	$4_1, \overline{3}_1, 0$	$\overline{6}_3$
$5^1_{*} -1. - 2.1.2 0.1$	$\overline{5}_2, 0, 0$	$\overline{7}_{21}$
$5^1_{*} -1. - 2.1. - 2 0.1$	$4_1, \overline{3}_1, 0$	6_3
$5^1_{*} 1.2.1.1.2 0$	$6_2, 4_1, 0$	6_{13}
$5^1_{*} -1. - 2.1.1.2 0$	$\overline{5}_1, \overline{5}_2, 0$	$\overline{7}_{18}$
$5^1_{*} 1.1.1.2.2 0$	$\overline{6}_1, 0, 0$	$\overline{6}_7$

notation	constituent knot	θ -curve
5_*^1 2 0.2.1.1.1	$\overline{3_1}, \overline{3_1}, 0$	$\overline{7_9}$
5_*^1 2 0. - 2.1.1.1	$4_1, \overline{3_1}, 0$	$\overline{6_3}$
5_*^1 - 2 0.2.1.1.1	$0, 0, 0$	7_4
5_*^1 - 2 0. - 2.1.1.1	$5_2, 0, 0$	7_{21}
5_*^1 2 0.1.2.1.1	$4_1, 0, 0$	7_{13}
5_*^1 - 2 0.1.2.1.1	$\overline{3_1}, 0, 0$	$\overline{7_6}$
5_*^1 2 0.1.1.2.1	$3_1, 0, 0$	$\overline{7_6}$
5_*^1 - 2 0.1.1.2.1	$4_1, 0, 0$	$\overline{7_{13}}$
5_*^1 2 0.1.1.1.2	$0, 0, 0$	$\overline{7_4}$
5_*^1 2 0.1.1.1. - 2	$\overline{5_2}, 0, 0$	$\overline{7_{21}}$
5_*^1 - 2 0.1.1.1.2	$3_1, \overline{3_1}, 0$	$\overline{7_9}$
5_*^1 - 2 0.1.1.1. - 2	$4_1, \overline{3_1}, 0$	6_3
5_*^1 - 1.2 0.2.1.1	$\overline{6_1}, 0, 0$	$\overline{6_7}$
5_*^1 - 1.2 0.1.1.2	$\overline{6_2}, 4_1, 0$	$\overline{6_{13}}$
5_*^1 - 1. - 2 0. - 1. - 1.2	$5_1, 5_2, 0$	7_{18}
5_*^1 - 1. - 1.2 0. - 1.2	$4_1, \overline{3_1}, 0$	$\overline{6_3}$
5_*^1 - 1. - 1. - 2 0. - 1.2	$\overline{5_2}, 0, 0$	$\overline{7_{21}}$
5_*^1 - 1.2 0.1.2 0.1	$\overline{6_2}, 0, 0$	$\overline{6_{11}}$
5_*^1 - 1.2 0.1. - 2 0.1	$\overline{5_1}, 0, 0$	$\overline{7_{16}}$
5_*^1 - 1. - 1.2 0.2 0.1	$0, 0, 0$	$\overline{6_1}$
5_*^1 - 1. - 1.2 0. - 2 0.1	$3_1, 0, 0$	$\overline{6_2}$
5_*^1 - 1. - 1. - 2 0.2 0.1	$\overline{5_1}, 0, 0$	$\overline{7_{16}}$
5_*^1 - 1. - 1. - 2 0. - 2 0.1	$0, 0, 0$	6_1
5_*^1 1.1.2 0.1.2 0	$6_2, 0, 0$	6_{11}
5_*^1 1.1. - 2 0.1.2 0	$5_1, 0, 0$	7_{16}
6_*^1 1.2.1.1.1.1	$0, 0, 0$	7_2
6_*^1 1.2 0.1.1.1.1	$4_1, 0, 0$	7_{12}
6_*^1 1. - 2 0.1.1.1.1	$4_1, \overline{3_1}, 0$	$\overline{6_3}$
6_*^2 1.1.1.2.1.1	$3_1, 0, 0$	$\overline{7_6}$
6_*^2 2 0.1.1.1.1.1	$0, 0, 0$	$\overline{7_3}$
6_*^2 - 2 0.1.1.1.1.1	$0, 0, 0$	$\overline{7_4}$
6_*^2 1.2 0.1.1.1.1	$4_1, 0, 0$	7_{13}
6_*^2 1.1.2 0.1.1.1	$\overline{3_1}, \overline{3_1}, 0$	$\overline{7_9}$
6_*^2 1.1. - 2 0.1.1.1	$4_1, \overline{3_1}, 0$	$\overline{6_3}$

notation	constituent knot	θ -curve
6_*^3 2.1. - 1.1.1.1	$3_1, 3_1, 0$	$\overline{3_1 \#_3 3_1}$
6_*^3 2.1.1.1. - 1. - 1	$4_1, 3_1, 0$	6_4
6_*^3 1.2. - 1.1.1.1	$4_1, 3_1, 0$	6_4
6_*^3 1.2.1.1. - 1. - 1	$3_1, 3_1, 0$	$\overline{3_1 \#_3 3_1}$
6_*^3 1.1.2.1.1.1	$6_3, 0, 0$	6_{15}
6_*^3 1.1. - 2.1.1.1	$5_2, 0, 0$	7_{21}
6_*^3 1.1.2.1. - 1. - 1	$0, 0, 0$	$\overline{6_1}$
6_*^3 1.1. - 2.1. - 1. - 1	$5_1, 0, 0$	7_{16}
6_*^3 1.1.1.1.2. - 1	$6_3, 0, 0$	6_{15}
6_*^3 1.1.1.1. - 2. - 1	$5_2, 0, 0$	7_{21}
6_*^3 1.1. - 1.1.2.1	$0, 0, 0$	$\overline{6_1}$
6_*^3 1.1. - 1.1. - 2.1	$5_1, 0, 0$	7_{16}
6_*^3 2 0.1.1.1. - 1. - 1	$\overline{3_1}, 0, 0$	6_2
6_*^3 2 0.1. - 1.1.1.1	$3_1, \overline{3_1}, 0$	$3_1 \#_3 \overline{3_1}$
6_*^3 2. - 1.1. - 1. - 1. - 1	$\overline{3_1}, 0, 0$	3_1
6_*^3 2. - 1. - 1. - 1.1.1	$0, 0, 0$	6_1
6_*^3 1.2 0.1.1. - 1. - 1	$3_1, \overline{3_1}, 0$	$3_1 \#_3 \overline{3_1}$
6_*^3 1.2 0. - 1.1.1.1	$\overline{3_1}, 0, 0$	6_2
6_*^3 1. - 2 0.1.1. - 1. - 1	$3_1, 0, 0$	$\overline{3_1}$
6_*^3 1. - 2 0. - 1.1.1.1	$0, 0, 0$	$\overline{6_1}$
6_*^3 1.1.2 0.1. - 1. - 1	$4_1, \overline{3_1}, 0$	$\overline{6_3}$
6_*^3 1.1. - 2 0.1.1.1	$0, 0, 0$	6_1
6_*^3 1.1.1.1. - 2 0. - 1	$0, 0, 0$	$\overline{6_1}$
6_*^3 1.1. - 1.1. - 2 0.1	$4_1, \overline{3_1}, 0$	$\overline{6_3}$
6_*^4 2 0.1.1.1.1.1	$3_1, 0, 0$	$\overline{6_2}$
6_*^4 1.2 0.1.1.1.1	$4_1, \overline{3_1}, 0$	$\overline{6_3}$
6_*^4 1.1.2 0.1.1.1	$0, 0, 0$	$\overline{6_1}$
7_*^4 1.1.1.1.1.1.1	$7_7, 0, 0$	7_{61}
7_*^3 1.1.1.1.1.1.1	$6_3, 0, 0$	$\overline{6_{15}}$
7_*^4 1.1.1.1.1.1.1	$0, 0, 0$	7_4
7_*^4 1. - 1.1. - 1. - 1.1. - 1	$4_1, \overline{3_1}, 0$	$\overline{6_3}$
7_*^9 1.1.1.1.1.1.1	$\overline{3_1}, 0, 0$	6_2

5. Enumeration of handcuff graph

We give an enumeration of handcuff graph with up to seven crossings by using our notation. Links in the second column correspond to Rolfsen's knot table [14], and handcuff graphs in the last column correspond to Fig. 8–11. \overline{L} and $\overline{\Phi}$ denote mirror images of L and Φ , respectively.




Fig. 8. Prime handcuff graphs with up to six crossings.




Fig. 9. Prime handcuff graphs with seven crossings.




Fig. 10. Prime handcuff graphs with seven crossings (continued).




Fig. 11. Prime handcuff graphs with seven crossings (continued).

notation	constituent link	handcuff graph
$1_{\times}^1 2$	2_1^2	2_1^{ϕ}
$1_{\times}^1 4$	4_1^2	4_1^{ϕ}
$1_{\times}^1 2 1 2$	5_1^2	5_1^{ϕ}
$1_{\times}^1 6$	6_1^2	6_5^{ϕ}
$1_{\times}^1 3 3$	6_2^2	6_7^{ϕ}
$1_{\times}^1 2 2 2$	6_3^2	6_8^{ϕ}
$1_{\times}^1 3, 3$	6_1^2	6_6^{ϕ}
$1_{\times}^1 2 1, 2 1$	6_3^2	6_9^{ϕ}
$3_*^1 2 0. - 2.1$	4_1^2	4_1^{ϕ}
$3_*^1 2 0.2. - 1$	0_1^2	$2_1^{\phi} \#_3 2_1^{\phi}$
$3_*^1 - 2 0. - 2 0.2$	2_1^2	6_2^{ϕ}
$3_*^1 2 1 0.2 0. - 1$	4_1^2	6_4^{ϕ}
$4_*^1 3.1.1.1$	2_1^2	6_2^{ϕ}
$4_*^1 3 0.1.1.1$	2_1^2	6_3^{ϕ}
$4_*^1 - 3 0.1.1.1$	4_1^2	6_4^{ϕ}
$4_*^1 2.2.1.1$	4_1^2	6_4^{ϕ}
$4_*^1 2 0.2.1.1$	2_1^2	6_3^{ϕ}
$4_*^1 - 2 0.2.1.1$	2_1^2	6_2^{ϕ}
$4_*^1 2 0.1.1.2 0$	0_1^2	6_1^{ϕ}
$4_*^1 2 0.1.1. - 2 0$	4_1^2	6_4^{ϕ}
$6_*^1 1.1.1.1.1.1$	0_1^2	6_1^{ϕ}
$6_*^3 1.1.1.1.1.1$	5_1^2	5_1^{ϕ}
$6_*^3 1.1.1.1. - 1. - 1$	2_1^2	$2_1^{\phi} \#_3 3_1^{\phi}$
$6_*^3 1.1. - 1.1.1.1$	2_1^2	$2_1^{\phi} \#_3 3_1^{\phi}$

notation	constituent link	handcuff graph
$1_{\times}^1 4 1 2$	7_1^2	7_{18}^{ϕ}
$1_{\times}^1 2 1 4$	7_1^2	7_{19}^{ϕ}
$1_{\times}^1 2 3 2$	7_3^2	7_{26}^{ϕ}
$1_{\times}^1 3 1 1 2$	7_2^2	7_{22}^{ϕ}
$1_{\times}^1 2 1 1 3$	7_2^2	7_{23}^{ϕ}
$1_{\times}^1 2 1 1, 3$	7_1^2	7_{20}^{ϕ}
$1_{\times}^1 2 2, 2 1$	7_3^2	7_{21}^{ϕ}
$1_{\times}^1 3, 2 1+$	7_2^2	7_{24}^{ϕ}
$1_{\times}^1 3, -2 -1-$	6_3^2	6_9^{ϕ}
$1_{\times}^1 (3, 2) 1 1$	7_4^2	7_{28}^{ϕ}
$1_{\times}^1 (3, -2) 1 1$	7_7^2	7_{35}^{ϕ}
$1_{\times}^1 (2 1, 2) 1 1$	7_5^2	7_{30}^{ϕ}
$1_{\times}^1 (2 1, -2) 1 1$	7_8^2	7_{36}^{ϕ}
$1_{\times}^1 (3, 2) 2$	7_4^2	7_{28}^{ϕ}
$1_{\times}^1 (3, 2) -2$	7_7^2	7_{35}^{ϕ}
$1_{\times}^1 (3, -2) -2$	7_8^2	7_{36}^{ϕ}
$1_{\times}^1 (2 1, 2) 2$	7_5^2	7_{30}^{ϕ}
$1_{\times}^1 (2 1, 2) -2$	7_8^2	7_{36}^{ϕ}
$1_{\times}^1 (2 1, -2) -2$	7_7^2	7_7^{ϕ}

notation	constituent link	handcuff graph
$3_*^1 2 2.2. - 1$	5_1^2	7_{14}^ϕ
$3_*^1 2 1.2.2$	2_1^2	6_3^ϕ
$3_*^1 2 1.2. - 2$	2_1^2	7_7^ϕ
$3_*^1 2 1. - 2.2$	2_1^2	7_7^ϕ
$3_*^1 2 1. - 2. - 2$	2_1^2	7_3^ϕ
$3_*^1 3. - 2 0.2$	4_1^2	6_4^ϕ
$3_*^1 3 0.2 0. - 2$	4_1^2	7_{10}^ϕ
$3_*^1 3 0. - 2 0.2$	4_1^2	6_4^ϕ
$3_*^1 2 1 0.2 0. - 2$	2_1^2	7_5^ϕ
$4_*^1 2 1 1.1.1.1$	2_1^2	7_3^ϕ
$4_*^1 2 1 1 0.1.1.1$	2_1^2	7_4^ϕ
$4_*^1 - 2 - 1 - 1 0.1.1.1$	5_1^2	7_{14}^ϕ
$4_*^1 3.2 0.1.1$	4_1^2	7_{10}^ϕ
$4_*^1 3 0.2 0.1.1$	4_1^2	7_{11}^ϕ
$4_*^1 - 3 0.2 0.1.1$	2_1^2	7_7^ϕ
$4_*^1 2 1.2.1.1$	2_1^2	7_7^ϕ
$4_*^1 2 1 0.2.1.1$	4_1^2	7_{11}^ϕ
$4_*^1 - 2 - 1 0.2.1.1$	4_1^2	7_{10}^ϕ
$4_*^1 3.2.1.1$	2_1^2	7_5^ϕ
$4_*^1 3 0.2.1.1$	2_1^2	7_6^ϕ
$4_*^1 - 3 0.2.1.1$	2_1^2	7_5^ϕ
$4_*^1 2 1.1.1.20$	4_1^2	7_{12}^ϕ
$4_*^1 2 1.1.1. - 20$	5_1^2	7_{14}^ϕ
$4_*^1 2.2 1 0.1.1$	5_1^2	7_{14}^ϕ
$4_*^1 2 0.2 1 0.1.1$	2_1^2	7_4^ϕ
$4_*^1 - 2 0.2 1 0.1.1$	2_1^2	7_3^ϕ
$4_*^1 2 0.2.2.1$	4_1^2	7_{11}^ϕ
$4_*^1 - 2 0.2.2.1$	0_1^2	7_2^ϕ
$4_*^1 2 0.2.2 0.1$	2_1^2	7_6^ϕ
$4_*^1 - 2 0.2.2 0.1$	2_1^2	7_9^ϕ
$4_*^1 2.2 0.1.2 0$	5_1^2	7_{15}^ϕ
$4_*^1 2.2 0.1. - 2 0$	4_1^2	7_{10}^ϕ
$4_*^1 2 0.2.1.2 0$	2_1^2	7_8^ϕ
$4_*^1 2 0.2.1. - 2 0$	2_1^2	7_7^ϕ
$4_*^1 - 2 0.2.1.2 0$	2_1^2	7_5^ϕ
$4_*^1 - 2 0.2.1. - 2 0$	2_1^2	$2_1^\phi \# 3_1^\theta$

notation	constituent link	handcuff graph
$5_{\times}^1 2.2.1.1.1$	$\frac{7_5^2}{5}$	7_{31}^{ϕ}
$5_{\times}^1 2. - 2.1.1.1$	$\frac{7_8^2}{8}$	7_{36}^{ϕ}
$5_{\times}^1 - 2. - 2.1.1.1$	7_7^2	7_{35}^{ϕ}
$5_{\times}^1 2.1.2.1.1$	$\frac{7_5^2}{5}$	7_{32}^{ϕ}
$5_{\times}^1 2.1. - 2.1.1$	$\frac{7_8^2}{8}$	7_{36}^{ϕ}
$5_{\times}^1 - 2.1.2.1.1$	$\frac{6_3^2}{3}$	6_9^{ϕ}
$5_{\times}^1 - 2.1. - 2.1.1$	5_1^2	5_1^{ϕ}
$5_{\times}^1 2.1.1.2 0.1$	7_2^2	7_{25}^{ϕ}
$5_{\times}^1 - 2.1.1.2 0.1$	6_2^2	7_{17}^{ϕ}
$5_{\times}^1 2 0.1.2.1.1$	7_4^2	7_{29}^{ϕ}
$5_{\times}^1 2 0.1. - 2.1.1$	$\frac{7_7^2}{7}$	7_{35}^{ϕ}
$5_{\times}^1 2 0.2 0.1.1.1$	$\frac{7_1^2}{1}$	7_{21}^{ϕ}
$5_{\times}^1 - 2 0. - 2 0.1.1.1$	6_2^2	7_{17}^{ϕ}
$5_*^1 2 1 0.1.1.1.1$	2_1^2	7_7^{ϕ}
$5_*^1 - 2 - 1 0.1.1.1.1$	2_1^2	7_7^{ϕ}
$5_*^1 2 0.2 0.1.1.1$	0_1^2	7_2^{ϕ}
$5_*^1 - 2 0.2 0.1.1.1$	4_1^2	7_{13}^{ϕ}
$5_*^1 2 0.1.2 0.1.1$	2_1^2	7_7^{ϕ}
$5_*^1 - 2 0.1.2 0.1.1$	2_1^2	7_3^{ϕ}
$5_*^1 2 0.1. - 2 0.1.1$	2_1^2	$2_1^{\phi} \#_3 3_1^{\theta}$
$5_*^1 - 2 0.1. - 2 0.1.1$	2_1^2	6_2^{ϕ}
$5_*^1 2 0.1.1.2 0.1$	2_1^2	7_3^{ϕ}
$5_*^1 - 2 0.1.1.2 0.1$	2_1^2	7_7^{ϕ}
$5_*^1 2 0.1.1. - 2 0.1$	2_1^2	6_2^{ϕ}
$5_*^1 - 2 0.1.1. - 2 0.1$	$\frac{2_1^2}{1}$	$2_1^{\phi} \#_3 3_1^{\theta}$
$5_*^1 2 0.1.1.1.2 0$	4_1^2	7_{13}^{ϕ}
$5_*^1 - 2 0.1.1.1.2 0$	0_1^2	7_2^{ϕ}
$5_*^1 - 1.2 0.2 0.1.1$	$\frac{6_3^2}{3}$	6_9^{ϕ}
$5_*^1 - 1. - 2 0.2 0.1.1$	4_1^2	6_4^{ϕ}
$5_*^1 - 1.2 0. - 2 0.1.1$	5_1^2	5_1^{ϕ}
$5_*^1 - 1. - 2 0. - 2 0.1.1$	$\frac{5_1^2}{1}$	5_1^{ϕ}
$5_*^1 1.1.1.2 0.2 0$	$\frac{6_3^2}{3}$	6_9^{ϕ}
$5_*^1 1.1.1. - 2 0.2 0$	$\frac{5_1^2}{1}$	5_1^{ϕ}
$5_*^1 1.1.1.2 0. - 2 0$	4_1^2	6_4^{ϕ}
$5_*^1 1.1.1. - 2 0. - 2 0$	5_1^2	5_1^{ϕ}
$5_*^1 1.1.2.1.2 0$	6_2^2	7_{17}^{ϕ}
$5_*^1 - 1.2 0.1.2.1$	6_2^2	7_{17}^{ϕ}

notation	constituent link	handcuff graph
6_{\times}^1 2.1.1.1.1.1	7_6^2	7_{33}^{ϕ}
6_{\times}^1 2.1.1.1.1. - 1	2_1^2	$2_1^{\phi} \#_3 \overline{3_1^{\theta}}$
6_{\times}^1 - 2.1.1.1.1.1	7_8^2	7_{36}^{ϕ}
6_{\times}^1 - 2.1.1.1.1. - 1	$2_1^2 \#_2 3_1$	$2_1^{\phi} \#_3 \overline{3_1^{\theta}}$
6_*^1 2.1.1.1.1.1	0_1^2	7_1^{ϕ}
6_*^1 - 2.1.1.1.1.1	0_1^2	7_2^{ϕ}
6_*^1 1.1.2.1.1.1	2_1^2	7_8^{ϕ}
6_*^1 2 0.1.1.1.1.1	5_1^2	7_{16}^{ϕ}
6_*^1 1.1.2 0.1.1.1	2_1^2	7_8^{ϕ}
6_*^1 1.1. - 2 0.1.1.1	2_1^2	6_2^{ϕ}
6_*^2 1.2.1.1.1.1	2_1^2	7_7^{ϕ}
6_*^2 1.1.2.1.1.1	0_1^2	7_2^{ϕ}
6_*^2 1.1.1.2 0.1.1	2_1^2	7_3^{ϕ}
6_*^2 1.1.1. - 2 0.1.1	2_1^2	6_2^{ϕ}
6_*^3 1.1.1.1.1.2	0_1^2	7_2^{ϕ}
6_*^3 1.1.1.1. - 1. - 2	2_1^2	$2_1^{\phi} \#_3 \overline{4_1^{\theta}}$
6_*^3 1.1. - 1.1.1.2	0_1^2	$2_1^{\phi} \#_3 \overline{4_1^{\theta}}$
6_*^3 1.1. - 1.1. - 1. - 2	2_1^2	$2_1^{\phi} \#_3 \overline{3_1^{\theta}}$
6_*^3 1.1. - 1.2 0.1.1	2_1^2	$2_1^{\phi} \#_3 \overline{4_1^{\theta}}$
6_*^3 1.1.1.2 0. - 1. - 1	2_1^2	$2_1^{\phi} \#_3 \overline{4_1^{\theta}}$
6_*^3 1.1.1.1.1. - 2 0	0_1^2	7_2^{ϕ}
6_*^3 1.1.1.1. - 1. - 2 0	0_1^2	$2_1^{\phi} \#_3 \overline{4_1^{\theta}}$
6_*^3 1.1. - 1.1.1.2 0	2_1^2	$2_1^{\phi} \#_3 \overline{4_1^{\theta}}$
6_*^3 1.1. - 1.1. - 1.2 0	2_1^2	$2_1^{\phi} \#_3 \overline{3_1^{\theta}}$
6_*^4 2.1.1.1.1.1	2_1^2	6_3^{ϕ}
6_*^4 - 2.1.1.1.1.1	2_1^2	2_1^{ϕ}
6_*^4 2.1. - 1.1.1.1	2_1^2	$2_1^{\phi} \#_3 \overline{3_1^{\theta}}$
6_*^4 2. - 1.1.1.1.1	4_1^2	4_1^{ϕ}
6_*^4 - 2.1. - 1.1.1.1	2_1^2	$2_1^{\phi} \#_3 \overline{3_1^{\theta}}$
6_*^4 - 2. - 1.1.1.1.1	0_1^2	trivial
6_*^4 2. - 1. - 1.1.1.1	4_1^2	6_4^{ϕ}
6_*^4 - 2. - 1. - 1.1.1.1	5_1^2	5_1^{ϕ}
6_*^4 1.2.1.1.1.1	0_1^2	6_1^{ϕ}
6_*^4 - 1.2. - 1.1.1.1	4_1^2	6_4^{ϕ}
6_*^4 1. - 2.1.1.1.1	4_1^2	6_2^{ϕ}
6_*^4 - 1. - 2. - 1.1.1.1	5_1^2	5_1^{ϕ}

notation	constituent link	handcuff graph
7_{\times}^3 1.1.1.1.1.1	$\overline{7_6^2}$	$\overline{7_{34}^{\phi}}$
7_{\times}^3 1.1.1.1. - 1. - 1. - 1	$\overline{7_7^2}$	$\overline{7_{35}^{\phi}}$
7_{\times}^3 1.1. - 1. - 1.1. - 1.1	$\overline{7_7^2}$	$\overline{7_{35}^{\phi}}$
7_{\times}^3 1.1. - 1. - 1. - 1. - 1. - 1	$\overline{7_8^2}$	$\overline{7_{36}^{\phi}}$
7_*^2 1.1.1.1.1.1.1	0_1^2	$\overline{7_1^{\phi}}$
7_*^2 - 1. - 1.1.1.1.1.1	2_1^2	$2_1^{\phi} \#_3 \overline{3_1^{\theta}}$
7_*^2 - 1. - 1. - 1.1.1.1.1	2_1^2	$\overline{7_9^{\phi}}$
7_*^2 - 1. - 1. - 1.1.1. - 1.1	0_1^2	$2_1^{\phi} \#_3 \overline{2_1^{\phi}} \#_3 \overline{2_1^{\phi}}$
7_*^7 1.1.1.1.1. - 1. - 1	$\overline{5_1^2}$	$\overline{5_1^{\phi}}$
7_*^7 1.1.1.1. - 1.1.1	$\overline{4_1^2}$	$\overline{6_4^{\phi}}$

References

- [1] C. C. Adams, *The Knot Book*, W. H. Freeman and Company, New York, 1994.
- [2] J. H. Conway, *An enumeration of knots and links, and some of their algebraic properties*, Computational Problems in Abstract Algebra (Proc. Conf. Oxford 1967), Pergamon Press, 1969, 329–358.
- [3] T. Harikae, *On rational and pseudo-rational θ -curves in the 3-sphere*, Kobe J. Math. **7** (1990) 125–138.
- [4] Y. Huh, G. T. Jin, *θ -curve polynomials and finite-type invariants*, J. Knot Theory Ramifications **11** (2002) 555–564
- [5] T. Kanenobu, H. Saito, S. Sato, *Tangles with up to seven crossings*, Interdisciplinary Information Sciences **9** (2003) 127–140.
- [6] L. H. Kauffman, *State models and the Jones polynomial*, Topology **26** (1987) 395–407.
- [7] L. H. Kauffman, *Invariants of graphs in three-space*, Trans. Amer. Math. Soc. **311** (1989) 697–710.
- [8] L. H. Kauffman, J. Simon, K. Wolcott and P. Zhao, *Invariants of theta-curves and other graphs in 3-space*, Topology Appl. **49** (1993) 193–216.
- [9] C. Kuratowski, *Sur le problème des courbes gauches en Topologie*, Fund. Math. **15** (1930) 271–283.
- [10] R. A. Litherland, *The Alexander module of a knotted theta-curve*, Math. Proc. Camb. Phil. Soc. **106** (1989) 95–106.
- [11] R. A. Litherland, *A table of all prime theta-curves in S^3 up to 7 crossings*, a letter, 1989.
- [12] T. Motohashi, Y. Ohyama, K. Taniyama, *Yamada polynomial and crossing number of spatial graphs*, Rev. Mat. Univ. Complut. Madrid, **7** (1994) 247–277.
- [13] D. Reinhard, *Graph Theory*, Graduate Texts in Mathematics **173**, Springer-Verlag, New York, 1997.
- [14] D. Rolfsen, *Knots and Links*, Berkeley, Calif. , Publish or Perish, Inc. , 1976.
- [15] J. Simon, *A topological approach to the stereochemistry on nonrigid molecules*, Studies in Physical and Theoretical Chemistry **51**, Elsevier, Amsterdam, 1987, 43–75.
- [16] H. Whitney, *Non-separable and planar graphs*, Trans. Amer. Math. Soc. **34** (1932), 339–362.
- [17] H. Whitney, *Congruent graphs and the connectivity of graphs*, Amer. J. Math. **54** (1932), 150–168.

- [18] K. Wolcott, *The knotting of theta-curves and other graphs in S^3* , in: C. McCrory and T. Shifrin, Eds. , *Geometry and Topology: Manifolds, Varieties, and Knots*, Marcel Dekker, New York, 1987, 325–346.
- [19] S. Yamada, *An invariant of spatial graphs*, *J. Graph Theory* **13** (1989) 537–551.
- [20] S. Yamada, *A topological invariant of spatial regular graphs*, *Knots 90*, Ed. A. Kawauchi, de Gruyter, 1992, 447–454.
- [21] H. Yamano, *Classification of tangles of 7 crossings or less* (in Japanese), Master Thesis, Tokyo Metrop. Univ. , 2001.